

## 7 Inch IPS TFT LCD Display with 480×234 Dots Resolution and 26pin FPC Interface

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: BBI
- Certification: ISO9001 RoHS
- Model Number: BBI-001
- Minimum Order Quantity: 1000
- Price: 0.78-7USD
- Packaging Details: CARTON
- Delivery Time: 3-4WEEKS
- Payment Terms: T/T
- Supply Ability: 300000/MONTH



### Product Specification

- Touchscreen: No
- Display Area: 68.04(H)x120.96(V)mm
- Power Consumption: 30W
- Input Voltage: 2.8~3.3V
- Interface Type: RGB
- Fpc: 26pin
- Lcd Type: A-Si TFT Active Matrix
- Display Colors: 16.7M
- Name: IPS TFT LCD Display
- Highlight: **7 Inch IPS TFT LCD Display ,  
7 Inch TFT LCD Display 26pin ,  
IPS TFT LCD Display 480×234**



for more products please visit us on [lcdtftscreen.com](http://lcdtftscreen.com)

### 7 Inch IPS TFT LCD Display 480×234 Dots 26pin FPC

High-quality 7-inch IPS TFT LCD display with 480×234 resolution and 26-pin FPC interface, designed for industrial and embedded applications.

#### Key Specifications

**Screen Size:** 7 inches (diagonal)

**Resolution:** 480 × 234 pixels for clear image quality

**Aspect Ratio:** 16:9 widescreen format

**Technology:** TFT with LED backlighting for superior color reproduction and contrast

**Interface:** RGB parallel or LVDS interface compatible with embedded systems and microcontrollers

#### Core Applications

**Industrial Control & HMI:** PLC control panels, CNC equipment, intelligent instruments with wide viewing angles

**Vehicle & Transportation:** Truck instrument panels, vehicle information terminals, POS systems

**Medical Equipment:** Portable monitoring devices, blood glucose meters, blood oxygen monitors

**Consumer Electronics:** Smart home control panels, Bluetooth speaker displays, barcode scanners

**Custom Solutions:** IoT edge nodes, security systems, educational equipment

#### Technical Specifications

Item	Specifications
Product Name	7.0 Inch TFT Display
Display Mode	Normally White
Viewing Angle	6 O'clock
Pixel Arrangement	RGB Vertical Stripe
Resolution	480 RGB(H) × 234(V) Pixels
Operating Temperature	-20°C to +70°C
Storage Temperature	-30°C to +80°C
FPC Connector	26PIN, Socket Type
FPC Pitch	0.5 mm
Backlight Consumption	10.8V, 100mA
Luminance	200 cd/m <sup>2</sup>
Outline Dimension	162.6(H) × 96.6(V) mm
Active Area	154.08(H) × 86.58(V) mm



## Our Services

- Free repair within one year after shipment
- Replacement within 30 days for product-related issues
- Custom logo printing and model number application
- Competitive shipping rates through established partnerships
- Professional technical support and responsive after-sales service
- Comprehensive quality inspection before shipment
- 24-hour response time for customer inquiries
- Custom display solutions based on your specifications

## Application Fields

- Audio Products
- Medical Equipment
- Industrial Products
- Automotive Systems
- Sports Equipment
- Watches & Timepieces
- Household Appliances



Dongguan Bibuke Electronic Technology Co., Ltd.



+8613711912723



Jack@smartwinlcd.cn



lcdftscreen.com

