




18 Pins 128 X 64 Graphic LCD Module Stn Positive 12864 Screen TN Viewing Angle

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: BBI
- Certification: ISO90001 RoHS
- Minimum Order Quantity: 1000
- Price: 0.7-7USD
- Packaging Details: CARTON
- Delivery Time: 3-47WEEKS
- Payment Terms: T/T
- Supply Ability: 100000/MONTH



Product Specification

- Response Time: 20ms
- Driving Method: 1 / 64 Duty, 1 / 9 Bias
- Polarizer Type: Transflective
- Operating Temp: -20 To 70
- Driver Ic: Ra8835
- Viewing Angle: TN
- Highlight: 128x64 graphic LCD module, STN positive LCD screen, TN viewing angle LCD display



for more products please visit us on lcdfttscreen.com

Product Description

18 Pins 128 X 64 Graphic LCD Module Stn Positive 12864 Screen TN Viewing Angle

Product Description

ITEM	CONTENT	DESCRIPTION
1	Customized	Non-Customized
2	Resolution	128 X 64
3	Polarizer type	Transflective
4	Viewing angle	TN
5	Driving Method	1 / 64 duty,1 / 9 bias
6	Operating Temperature	-10 -60
7	Storage Temperature	-20-70
8	Driver IC	Ra8835
9	Voltage	VDD=5V


Production Line:

- ✧ Clean Room class 10k@0.8um, Pressurec 0.8kgf
- ✧ Antistatic floor, resistance : 1x10 ohm to 1x10 ohm
- ✧ COG production lines: 4 .
- ✧ Backlight production lines: 2 .
- ✧ Existing machine capacity will be 1KK per month.

Product Details

Resolution:	128 X 64
Type:	LCM
DOT-Matrix:	Row/Column-Driven
LCD Drive Mode:	Static Drive LCD Module
Outline Size:	78.00 X 70.00 X 12.50mm
Viewing Size:	62.00 X 44.00mm





Packaging & Shipping:

Packaging: Carton boxess, Cupboard , EPE, Blister Tray, About the package way, it is up to the size of products, according to customer request and demand. Different countries have not same requirement.



Shipping: Express way as DHL,Fedex,EMS,UPS,air shipping,sea shipping,Any shipping method you prefer.

						
	2-7days	2-8days	2-7days	3-15days	2-5days	2-7days
Notice	<ol style="list-style-type: none"> EMS for Brazil, Russia and Remote areas . SF for Hong Kong, Taiwan, South Korea, Japan, Thailand, Singapore and Malaysia . Having logo product can't be sent by FEDEX . The Brazil want to use FEDEX/DHL , need to offer CNPJ / CPF to us ! 					

Payment Method:



FAQ:

1. I want the LCD display 8 digits and the outline size is 65x30x2.8mm.....?

Answer: No problem. Firstly, please kindly send us your specification/ drawing paper
If you have not the specification, you can also provide your samples; we will recommend the suitable one
if it is standard products. Or we can customize for you based on your own requirement.

2. This LCD is just what we want, but it is big size, do you have any smaller size? And the display content need to be changed a little.

Answer: For the segment type LCD module, if you need modify the outline size or display content,
a new LCD glass module is need. We have to open new tooling for you.

3. This LCD display is HTN type, but I want STN type, can you make?

Answer: That's all right . we can change for you as per you request.

4. I want customize a new LCD module. Can you do?

Answer: Yes, we can. Please send your drawing paper. If you have not, please advise me the outline size
of the LCD display, display information(Glass thickness, Polarizer, Display Type, Connector mode,
Storage Temp. Operating Temp. Supply Voltage, Viewing direction, drive condition), we can customize for you.

5. What is leading time for tooling?

Answer: General speaking, it will cost 15 to 25 days after drawing paper confirmation and tooling charge payment,
we can report you the exact time when you confirm the drawing paper.

6. Can you send us samples for checking?

Answer: Yes,. Samples order is available.

7. What is the Leading Time?

Answer: If we have stock for the standard ones, the leading time is one day after payment. If it is the mass production for
special ones, the leading time is about 15-30 days. suppose we can finish earlier, we will report the information in advanced.

Our Services:

1. Free repair within one year after the shipment of products from us.
2. Replacement within 30 days after the shipment of products from us due to products' problems.
3. We can print your logo and stick your model No. on the cameras.
4. We have long cooperation with many shipping companies and our export volume is large. The shipping companies can offer us good discounts.
5. Professional technician supports. We have a good after-sales service team. They can solve your problems in time.
6. All goods will be inspected and tested by our engineers and QC/QA before packing and shipment.
7. Customers satisfactory is most important to us. If you have any problem or questions regarding our transaction. Please contact us by Email or online. It will be responded within 24 hours.
8. Products pictures only for your reference. please kindly refer to the specification. we can provide the products basic on the specification. or you can offer your own specification or drawing , we can customize all kinds of LCD displays for you. thanks for your kind support always.

Product application

Household appliances-refrigerators: air conditioners, fans, hot and cold air heaters, water heaters, electric blankets, heaters, air purifiers, washing machines, clothes dryers, vacuum cleaners, lampblack cleaners, microwave ovens, cookers, electric ovens, rice cookers, water drinkers, tea sets, etc.;

Communication : equipment-telephone, interphone, fax machine, wireless wifi, etc.

Automotive: electronics-on-board entertainment system, automobile fault detector, CarLog, vehicle navigator, car audio, reverse radar, reverse mirror, camera, anti-theft device, etc.

Instruments : water meters, electric meters, multimeter, electronic scales, pressure meters, temperature meters, flow meters, display instruments, electrical instruments, space instruments, measuring instruments, analytical instruments, electrochemical instruments, optical instruments, etc.;

Fitness: equipment-treadmill, waist machine, fitness bike, training device, pedometer, code table, beauty instrument, fat square measuring instrument, fitness instrument, electronic sphygmomanometer, weighing scale, etc.

Financial : tax control-tax control cash machine, poss machine, usb-key cheque printer, banknote counting machine, tax control invoice machine, etc.

Consumer electronics: mp3, mp4, dvd, electronic dictionary, click reader, early teaching machine, learning machine, electronic organ, electronic clock, chronograph, calculator, etc.

high resolution, high definition, high brightness, cost-effective, energy conservation, high temperature, low temperature, Wide Temperature Range, Positive, Negative

List of Existing COB LCD Modules:

Model	Content CharsXLine	Module size W x H(mm)	View area W x H(mm)	Dot size W x H(mm)	Character size W x H(mm)	Driving Method	Controller LSI or Equiv	IC Package	STN-TYPE	FSTN-TYPE
8D - C0 80 2A	8X2	84.0X44.0	63.0X25.0	1. 15 X 1. 36	6.07X11.56	1/16	S6A0069	COB	Y	Y
8D - C0 80 2B	8X2	58.0X32.0	38.0X16.0	0. 56 X 0. 66	2.95X5.56	1/16	S6A0069	COB	Y	Y
8D - C1 20 2A	12X2	55.7X32.0	46.7X17.5	0. 45 X 0. 6	2.65X5.5	1/16	S6A0069	COB	Y	Y
8D - C1 60 1A	16X1	80.0X36.0	64.5X13.8	0. 55 X 0. 65	3.2X5.95	1/16	S6A0069	COB	Y	Y
8D - C1 60 1B	16X1	122.0X33.0	99.0X13.0	0. 92 X 1. 1	4.84X8.06	1/16	S6A0069	COB	Y	Y
8D - C1 60 1C	16X1	80.0X36.0	64.5X13.8	0. 6 X 0. 7	3.2X8.2	1/11	S6A0069	COB	Y	Y
8D - C1 60 1D	16X1	85.0X28.0	65.0X16.0	0. 55 X 0. 75	3.07X6.56	1/16	S6A0069	COB	Y	Y
8D - C1 60 1E	16X1	80.0X36.0	64.5X13.8	0. 55 X 0. 75	3.07X6.56	1/16	S6A0069	COB	Y	Y
8D - C1 60 2A	16X2	80.0X36.0	64.5X13.8	0. 55 X 0. 5	2.95X4.35	1/16	S6A0069	COB	Y	Y
8D - C1 60 2B	16X2	122.0X44.0	99.0X24.0	0. 92 X 1. 1	4.84X9.66	1/16	S6A0069	COB	Y	Y
8D - C1 60 2C	16X2	80.0X36.0	64.5X15.5	0. 55 X 0. 66	2.96X5.56	1/16	S6A0069	COB	Y	Y
8D - C1 60 2D	16X2	84.0X44.0	64.5X15.5	0. 55 X 0. 66	2.96X5.56	1/16	S6A0069	COB	Y	Y
8D - C1 60 2E	16X2	85.0X36.0	64.5X15.5	0. 56 X 0. 66	2.96X5.56	1/16	S6A0069	COB	Y	Y

8D - C1 60 2F	16X2	72.0X36.0	64.5X15.5	0. 56 X	2.96X5.56	1/16	S6A0069	COB	Y	Y
8D - C1 60 4A	16X4	87.0X60.0	62.0X25.6	0. 55 X	2.95X4.75	1/16	S6A0069	COB	Y	Y
8D - C2 00 1A	20X1	116.0X37.0	83.0X18.6	0. 6 X	3.2X5.55	1/16	S6A0069	COB	Y	Y
8D - C2 00 2A	20X2	98.0X60.0	83.0X18.6	0. 6 X	3.2X5.55	1/16	S6A0069	COB	Y	Y
8D - C2 00 2B	20X2	116.0X37.0	83.0X18.6	0. 6 X	3.2X5.55	1/16	S6A0069	COB	Y	Y
8D - C2 00 C	20X2	146.0X43.0	123.0X23.0	0. 92 X	0.98X1.17	1/16	S6A0069	COB	Y	Y

List of Exiting COB LCD Modules:

Model	Content (W X H)	Module size W x H(mm)	View area W x H(mm)	Dot size W x H(mm)	Dot pitch W x H(mm)	Driving Method	Controller LSI or Equiv	IC Package	STN-TYPE	FSTN-TYPE
8D - C2 00 4A	20X4	98.0X60.0	76.0X25.2	0.55X0.55	2.95X4.75	1/16	S6A0069	COB	Y	Y
8D - C2 00 4B	20X4	77.0X47.0	60.0X22.0	0.42X0.46	2.3X4.03	1/16	S6A0070	COB	Y	Y
8D - C2 00 4C	20X4	146.0X62.5	123.5X43.0	0.92X1.1	4.84X9.22	1/16	S6A0069	COB	Y	Y

8 D - C 2 4 0 2 A	24X2	118.0X36.0	93.5X16.0	0.6X0.65	3.2X5.55	1/16	S6A0069	COB	Y	Y
8 D - C 2 4 0 2 B	24X2	208.0X40.0	178.0X23.0	1.16X1.16	6.0X9.63	1/16	S6A0069	COB	Y	Y
8 D - C 4 0 0 1 A	40X1	182.0X33.5	154.4X16.5	0.6X0.75	3.2X6.35	1/16	S6A0069	COB	Y	Y
8 D - C 4 0 0 2 B	40X2	182.0X33.5	154.4X16.5	0.6X0.65	3.2X5.55	1/16	S6A0069	COB	Y	Y
8 D C 4 0 0 4 A	40X4	190.0X54.0	147.0X29.5	0.5X0.55	2.78X4.89	1/16	S6A0069	COB	Y	Y
8 D - G 1 2 2 3 2 A	122X32	84.0X44.0	60.0X18.5	0.4X0.4	0.44X0.44	1/32	SED1520	COB	Y	Y
8 D - G 1 2 2 3 2 B	122X32	80.0X36.0	55.0X18.5	0.36X0.41	0.4X0.45	1/32	SED1520	COB	Y	Y
8 D - G 1 2 2 3 2 C	122X32	98.0X60.0	76.0X25.2	0.53X0.61	0.57X0.65	1/32	SED1520	COB	Y	Y

8 D - G 1 2 2 3 2 D	122X32	80.2X47.4	76.0X25.2	0.53X0.61	0.57X0.65	1/32	SED1520	COB	Y	Y
8 D - G 1 2 8 6 4 A	128X64	78.0X70.0	62.0X44.0	0.39X0.55	0.44X0.6	1/64	S6B0108A	COB	Y	Y
8 D - G 1 2 8 6 4 B	128X64	105.0X60.5	72.0X40.0	0.48X0.48	0.52X0.52	1/64	S6B0108A	COB	Y	Y
8 D - G 1 2 8 6 4 C	128X64	93.0X70.0	72.0X40.0	0.48X0.48	0.52X0.52	1/64	S6B0108A	COB	Y	Y
8 D - G 1 2 8 6 4 D	128X64	113.0X65.0	72.0X40.0	0.48X0.48	0.52X0.52	1/64	S6B0108A	COB	Y	Y
8 D - G 1 2 8 6 4 E	128X64	93.0X70.0	72.0X40.0	0.48X0.48	0.52X0.52	1/64	ST7920	COB	Y	Y
8 D - G 1 9 2 6 4 A	192X64	130X65.0	104.0X39.0	0.46X0.46	0.51X0.51	1/64	S6B0108A	COB	Y	Y

8 D - G 1 9 2 6 4 B	192X64	120X62.0	104.0X39.0	0.46X0.46	0.51X0.51	1/64	S6B0108A	COB	Y	Y
8 D - G 2 4 0 6 4 B	240X64	180.0X65.0	132.0X39.0	0.53X0.53	0.49X0.49	1/64	T6963C	QFP/COB	Y	Y
8 D - G 2 4 0 1 2 8 A	240X128	144X104	114X64	0.4X0.4	0.45X0.45	1/128	T6963C	QFP/COB	Y	Y



Dongguan Bibuke Electronic Technology Co., Ltd.



+8613711912723



Jack@smartwinlcd.cn



lcdtftscreen.com

Shangyu Commercial Centre Chang'an, Dongguan, Guangdong, China 523881