

5.3 Inch Graphic LCD Module 240 X 128 Resolution STN Negative

Basic Information

- Place of Origin: China
- Brand Name: BBI
- Certification: ISO9001 RoHS
- Minimum Order Quantity: 1000
- Price: 0.7-7USD
- Packaging Details: CARTON
- Delivery Time: 3-4WEEKS
- Payment Terms: T/T
- Supply Ability: 100000/MONTH



Product Specification

- Backlight: Yellow Green LED
- Standard: ISO9001:2008, ROHS
- Power Supply Voltage: 5V
- Viewpoint: 6 O'clock
- Driving Voltage: 5.0 V
- Overall Dimensions: 144.00 X 104.00 X 14.00mm
- Format: 240*128 Dots .
- Size: 5.3inch
- Highlight: **5.3 inch graphic LCD module, 240x128 resolution STN LCD, negative display LCD module**



Product Description

5.3 Inch Graphic LCD Module 240 X 128 Resolution STN Negative

Product Details

Resolution:	240 X 128
Type:	LCM
DOT-Matrix:	Row/Column-Driven
LCD Drive Mode:	Static Drive LCD Module
Outline Size:	144.00 X 104.00 X 14.00mm
Viewing Size:	107.97 X 57.57mm

Product Description

ITEM	CONTENT	DESCRIPTION
1	Customized	Customized
2	Resolution	240 X 128
3	Polarizer type	transflective
4	Viewing angle	6 o'clock
5	Driving Method	1 / 64 duty, 1 / 9 bias
6	Operating Temperature	-10 -60
7	Storage Temperature	-20-70
8	Driver IC	T6963C
9	Voltage	VDD=5V



Products Application field:

Audio product Medical Equipment

Industrial product(watermeter, electronicmeter,Equipment)

Automobiles Sports Equipment Watches

Household appliance(air condition/wash machine/electronic cooler/ refrigerator/disinfection cabinet/ wash bowl machine/ calculator /electronic scale etc.)

List of Existing COB LCD Modules:

M o d e l	Content (W X H)	Module size W x H(mm)	View area W x H(mm)	Dot size W x H(mm)	Dot pitch W x H(mm)	Driving Method	Controller LSI or Equiv	IC Package	STN-TYPE	FSTN-TYPE
-----------------------	-----------------------	--------------------------	------------------------	-----------------------	------------------------	----------------	----------------------------	---------------	----------	-----------

8 D - C 2 0 0 4 A	20X4	98.0X60.0	76.0X25.2	0.55X0.55	2.95X4.75	1/16	S6A0069	COB	Y	Y
8 D - C 2 0 0 4 B	20X4	77.0X47.0	60.0X22.0	0.42X0.46	2.3X4.03	1/16	S6A0070	COB	Y	Y
8 D - C 2 0 0 4 C	20X4	146.0X62.5	123.5X43.0	0.92X1.1	4.84X9.22	1/16	S6A0069	COB	Y	Y
8 D - C 2 4 0 2 A	24X2	118.0X36.0	93.5X16.0	0.6X0.65	3.2X5.55	1/16	S6A0069	COB	Y	Y
8 D - C 2 4 0 2 B	24X2	208.0X40.0	178.0X23.0	1.16X1.16	6.0X9.63	1/16	S6A0069	COB	Y	Y
8 D - C 4 0 0 1 A	40X1	182.0X33.5	154.4X16.5	0.6X0.75	3.2X6.35	1/16	S6A0069	COB	Y	Y
8 D - C 4 0 0 2 B	40X2	182.0X33.5	154.4X16.5	0.6X0.65	3.2X5.55	1/16	S6A0069	COB	Y	Y
8 D - C 4 0 0 4 A	40X4	190.0X54.0	147.0X29.5	0.5X0.55	2.78X4.89	1/16	S6A0069	COB	Y	Y

8 D - G 1 2 2 3 2 A	122X32	84.0X44.0	60.0X18.5	0.4X0.4	0.44X0.44	1/32	SED1520	COB	Y	Y
8 D - G 1 2 2 3 2 B	122X32	80.0X36.0	55.0X18.5	0.36X0.41	0.4X0.45	1/32	SED1520	COB	Y	Y
8 D - G 1 2 2 3 2 C	122X32	98.0X60.0	76.0X25.2	0.53X0.61	0.57X0.65	1/32	SED1520	COB	Y	Y
8 D - G 1 2 2 3 2 D	122X32	80.2X47.4	76.0X25.2	0.53X0.61	0.57X0.65	1/32	SED1520	COB	Y	Y
8 D - G 1 2 8 6 4 A	128X64	78.0X70.0	62.0X44.0	0.39X0.55	0.44X0.6	1/64	S6B0108A	COB	Y	Y
8 D - G 1 2 8 6 4 B	128X64	105.0X60.5	72.0X40.0	0.48X0.48	0.52X0.52	1/64	S6B0108A	COB	Y	Y
8 D - G 1 2 8 6 4 C	128X64	93.0X70.0	72.0X40.0	0.48X0.48	0.52X0.52	1/64	S6B0108A	COB	Y	Y

8 D - G 1 2 8 6 4 D	128X64	113.0X65.0	72.0X40.0	0.48X0.48	0.52X0.52	1/64	S6B0108A	COB	Y	Y
8 D - G 1 2 8 6 4 E	128X64	93.0X70.0	72.0X40.0	0.48X0.48	0.52X0.52	1/64	ST7920	COB	Y	Y
8 D - G 1 9 2 6 4 A	192X64	130X65.0	104.0X39.0	0.46X0.46	0.51X0.51	1/64	S6B0108A	COB	Y	Y
8 D - G 1 9 2 6 4 B	192X64	120X62.0	104.0X39.0	0.46X0.46	0.51X0.51	1/64	S6B0108A	COB	Y	Y
8 D - G 2 4 0 6 4 B	240X64	180.0X65.0	132.0X39.0	0.53X0.53	0.49X0.49	1/64	T6963C	QFP/COB	Y	Y
8 D - G 2 4 0 1 2 8 A	240X128	144X104	114X64	0.4X0.4	0.45X0.45	1/128	T6963C	QFP/COB	Y	Y

List of Existing COB LCD Modules:

Model	Content CharsXLines	Module size W x H(mm)	View area W x H(mm)	Dot size W x H(mm)	Character size W x H(mm)	Driving Method	Controller LSI or Equiv	IC Package	STN-TYPE	FSTN-TYPE
8D - CO 80 2A	8X2	84.0X44.0	63.0X25.0	1.15X1.36	6.07X11.56	1/16	S6A0069	COB	Y	Y

8D - C0 80 2B	8X2	58.0X32.0	38.0X16.0	0. 56 X 0. 66	2.95X5.56	1/16	S6A0069	COB	Y	Y
8D - C1 20 2A	12X2	55.7X32.0	46.7X17.5	0. 45 X 0. 6	2.65X5.5	1/16	S6A0069	COB	Y	Y
8D - C1 60 1A	16X1	80.0X36.0	64.5X13.8	0. 55 X 0. 65	3.2X5.95	1/16	S6A0069	COB	Y	Y
8D - C1 60 1B	16X1	122.0X33.0	99.0X13.0	0. 92 X 1. 1	4.84X8.06	1/16	S6A0069	COB	Y	Y
8D - C1 60 1C	16X1	80.0X36.0	64.5X13.8	0. 6 X 0. 7	3.2X8.2	1/11	S6A0069	COB	Y	Y
8D - C1 60 1D	16X1	85.0X28.0	65.0X16.0	0. 55 X 0. 75	3.07X6.56	1/16	S6A0069	COB	Y	Y
8D - C1 60 1E	16X1	80.0X36.0	64.5X13.8	0. 55 X 0. 75	3.07X6.56	1/16	S6A0069	COB	Y	Y
8D - C1 60 2A	16X2	80.0X36.0	64.5X13.8	0. 55 X 0. 5	2.95X4.35	1/16	S6A0069	COB	Y	Y
8D - C1 60 2B	16X2	122.0X44.0	99.0X24.0	0. 92 X 1. 1	4.84X9.66	1/16	S6A0069	COB	Y	Y
8D - C1 60 2C	16X2	80.0X36.0	64.5X15.5	0. 55 X 0. 66	2.96X5.56	1/16	S6A0069	COB	Y	Y
8D - C1 60 2D	16X2	84.0X44.0	64.5X15.5	0. 55 X 0. 66	2.96X5.56	1/16	S6A0069	COB	Y	Y
8D - C1 60 2E	16X2	85.0X36.0	64.5X15.5	0. 56 X 0. 66	2.96X5.56	1/16	S6A0069	COB	Y	Y
8D - C1 60 2F	16X2	72.0X36.0	64.5X15.5	0. 56 X 0. 66	2.96X5.56	1/16	S6A0069	COB	Y	Y
8D - C1 60 4A	16X4	87.0X60.0	62.0X25.6	0. 55 X 0. 55	2.95X4.75	1/16	S6A0069	COB	Y	Y
8D - C2 00 1A	20X1	116.0X37.0	83.0X18.6	0. 6 X 0. 65	3.2X5.55	1/16	S6A0069	COB	Y	Y

8D - C2 00 2A	20X2	98.0X60.0	83.0X18.6	0. 6 X 0. 65	3.2X5.55	1/16	S6A0069	COB	Y	Y
8D - C2 00 2B	20X2	116.0X37.0	83.0X18.6	0. 6 X 0. 65	3.2X5.55	1/16	S6A0069	COB	Y	Y
8D - C2 00 C	20X2	146.0X43.0	123.0X23.0	0. 92 X 1. 1	0.98X1.17	1/16	S6A0069	COB	Y	Y



Dongguan Bibuke Electronic Technology Co., Ltd.



+8613711912723



Jack@smartwinlcd.cn



lcdtftscreen.com

Shangyu Commercial Centre Chang'an, Dongguan, Guangdong, China 523881