


2.15 Inch 128x64 LCD Display with 10 Pin FPC and 6 o'clock Viewing Angle for 2.8V Operating Voltage

Our Product Introduction

for more products please visit us on lcdtftscreen.com


Basic Information

- Place of Origin: China
- Brand Name: BBI
- Certification: ISO90001 RoHS
- Minimum Order Quantity: 1000
- Price: 0.7-7USD
- Packaging Details: CARTON
- Delivery Time: 3-47WEEKS
- Payment Terms: T/T
- Supply Ability: 100000/MONTH



Product Specification

- Drive Method: 1/64 Duty, 1/7 Bias
- Viewing Angle: 6 O'clock
- Connector: 10 Pin Socket Type
- Operating Temperature: -10°C To 60°C
- Storage Temperature: -20°C To 70°C
- Lcd Type: STN(Gray), Positive
- Backlight Type: LED
- Backlight Color: White
- Highlight: **10 Pin FPC 128x64 LCD Display ,
6 o'clock Viewing Angle Graphic LCD Display ,
2.8V Operating Voltage COG LCD Module**



2.15 Inch 128x64 LCD Display STN Positive COG+FPC 10PIN SPI Interface

This high-quality 2.15-inch LCD display features STN technology with positive display type, COG+FPC construction, and SPI interface for reliable performance in various applications.

Key Characteristics

- Resolution:** 128x64 pixels for displaying both text and graphics
- Graphical Capability:** Supports custom graphics unlike character LCDs
- Backlighting:** LED backlight (white) for improved visibility
- Power Consumption:** Energy-efficient design ideal for battery-powered devices
- Viewing Angle:** 6 o'clock orientation with better visibility than standard TN displays


Detailed Specifications

LCD Type	STN(Gray), Positive
Viewing Angle	6 O'clock
Driver IC	ST7567
FPC	10pin
Interface	SPI
Voltage	2.8V
Resolution	128x64 dots
Operating Temperature	-10~+60
Outline Dimension	65.30(W)*40.70(H)*5.85(T) mm
Active Area	48.61(W)*24.93(H) mm

STN LCD Technology

STN (Super Twisted Nematic) LCD technology features liquid crystals arranged in a twisted orientation, offering:

- Better contrast and wider viewing angles than standard TN displays
- Faster response times for improved performance
- Monochrome display with optional backlight colors
- Improved visibility in various lighting conditions





Dongguan Bibuke Electronic Technology Co., Ltd.



+8613711912723



Jack@smartwinlcd.cn



lcdfftscreen.com

Shangyu Commercial Centre Chang'an, Dongguan, Guangdong, China 523881