



Custom LCD Display with 6 O'Clock Viewing Angle and Negative HTN Liquid Crystal for Beauty Equipment

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: BBI
- Certification: ISO90001 RoHS
- Minimum Order Quantity: 1000
- Price: 0.7-7USD
- Packaging Details: CARTON
- Delivery Time: 3-47WEEKS
- Payment Terms: T/T
- Supply Ability: 100000/MONTH



Product Specification

- Connection Way: Pin, Zebra Or FPC
- Voltage: 2.8V,3.0V, 3.2V,3.6V,4.0V,4.5V,5.0V
- Drive Method: 1/65 Duty, 1/9 Bias
- Viewing Angle: 6 O'clock Or 12 O'clock
- Dimensions: Customized
- Backlight: With Or Without
- Display Mode: STN LCD Display
- Lcd Polarizer Mode: Transflective/Transmissive/Reflective
- Highlight: **6 O'Clock Viewing Angle LCD Display ,
Negative HTN Liquid Crystal LCD Display,
Customized Size LCD Display**



for more products please visit us on lcdftscreen.com

Product Description

Beauty Equipment Custom Size LCD Display

6 O'Clock Negative HTN LCD Display with full customization capabilities for beauty equipment applications.

Product Specifications

Type	STN LCD Display
Storage Temperature	0~50, -10~60, -20~+70 , -30~80
Voltage	2.8~5.0 V
Connector	Pin Or Zebra
Driving Method	Static/Dynamic
Polarizer Type	Transflective/Transmissive/Reflective

Technical Parameters

Item	Content	Description
1	LCD Type	TN, HTN, FSTN, VA, DFSTN, STN LCD Display
2	Outline Size	Customized
3	VA Size	Custom or 68*65/65mm*1.1T
4	Viewing Direction	6 O'clock or 12 O'clock
5	Voltage	2.8V, 3.0V, 3.2V, 3.6V, 4.0V, 4.5V, 5.0V
6	Display Mode	Positive or Negative
7	Backlight	With or without
8	Operation Temp	0°C TO +50°C, -10°C TO +60°C, -20°C TO +70°C
9	Storage Temp	-10°C TO +60°C, -20°C TO +70°C, -30°C TO +80°C, -35°C TO +90°C
10	Contact	Pin, Zebra or FPC





Core Product Features

Custom Size Design

Perfectly adapts to the shape of beauty equipment. Supports full-size customization from 1.5 inches to over 10 inches, with narrow bezels and special cutting designs to maximize fit with device shells and enhance overall aesthetics.

6 O'Clock Negative HTN Technology

6 o'clock viewing angle ensures optimal observation from below, ideal for beauty device usage where users typically view screens from lower positions. Negative HTN display provides high contrast between black background and white text, maintaining clarity even in bright environments like beauty salons or outdoor settings.

High Reliability & Durability

Moisture-proof and corrosion-resistant packaging with excellent sealing. Operating temperature range of -20 to 70 adapts to various environments. Tempered glass panels provide scratch and wear resistance for daily operation durability.

Core Applications

Specifically designed for beauty equipment sector, widely used in household and commercial beauty devices for operation interaction and data visualization.

Household Beauty Devices

Hair removal devices: Settings adjustment, remaining flash count, skin contact sensing, working countdown

Facial cleansing devices: Cleaning modes, working duration, battery status

Radiofrequency beauty devices: Energy levels, temperature control, mode switching status

Commercial Beauty Equipment

Skin detectors: Moisture, oil content, collagen data, skin analysis reports

Photon skin rejuvenation/laser treatment: Wavelength, energy density, treatment time, probe status

Body shaping instruments: Shaping modes, pressure levels, working time


Specialized Beauty Scenarios

Also applicable to nail light therapy lamps (curing time, light intensity) and scalp care devices (oil detection, massage levels).

Packaging & Shipping

Packaging Options

Carton boxes, cupboard, EPE, blister tray. Packaging method depends on product size and customer requirements, with variations for different countries.



Shipping Methods

Express shipping via DHL, FedEx, EMS, UPS, air shipping, or sea shipping. Any preferred shipping method available.

	2-7days	2-8days	2-7days	3-15days	2-5days	2-7days
Notice	<ol style="list-style-type: none"> EMS for Brazil, Russia and Remote areas . SF for Hong Kong, Taiwan, South Korea, Japan, Thailand, Singapore and Malaysia . Having logo product can' t be sent by FEDEX . The Brazil want to use FEDEX/DHL , need to offer CNPJ / CPF to us ! 					

Payment Methods



Multiple payment options available to suit customer preferences.



Dongguan Bibuke Electronic Technology Co., Ltd.



+8613711912723



Jack@smartwinlcd.cn



lcdtftscreen.com

Shangyu Commercial Centre Chang'an, Dongguan, Guangdong, China 523881